

## ISO/IEC 17025:2005 Accredited

Medical Marijuana Potency Analysis by High Performance Liquid Chromatography

Testing Accreditation #: 77802

Pests: Not Tested

Client Name, Sample Details Cannabinoid Creations Sample: Blue Raspberry Hard Candy Type: Infused Product Method: FE04 HPLC1100-1 Mold: Not Tested

Test Conditions
Scale: XS205-MI2
Temp: 23.2 °C
Baro Pressure: 971.3 hPa
Analyst: MEH
Technician: MEH


## Sample ID#: 94017

Date Received: 05/18/2017 Test Date: 05/18/2017 Valid Through: 05/18/2018



Test Certificate #: 94017-001





Test Compounds	CBDA	CBD	CBN	тнс	THCA	TOTAL	CBD Act.	THC Act.
Amount	N/D	3.7 mg/g	N/D	N/D	N/D	3.7 mg/g	100%	N/A
Min. Value	0.1 mg/g	0.1 mg/g	0.1 mg/g	0.1 mg/g	0.1 mg/g	-	-	-
Amount per Serving~	N/D	62.2 mg/srv	N/D	N/D	N/D	62.16 mg/srv	Serving Size~ (g):	16.80 g
Uncertainty†	±5% RSD	±5% RSD	±5% RSD	±5% RSD	±5% RSD	-	-	-

## 1 serving = 4 pieces = 16.8 g

†Uncertainty measurement is for the test procedure and the instrument used; and is calculated in accordance with the ISO "Guide of Uncertainty in Measurement" (GUM) Test Results and uncertainty are only representative of the sample submit to our laboratory. Uncertainty does not account for any uncertainty in the sampling. The measurement of uncertainty is the expanded uncertainty and is an estimate of uncertainty calculated with normal distribution and a coverage factor of 2 (K=2) to approximate a 95% confidence level. This certificate shall not be reproduced except in full, without written approval of Iron Laboratories, LLC.

%RSD = Relative Standard Deviation; Min. Value = Minimum Detectable Amount, CFU = Colony Forming Units

To convert mg/g to percent (wt/wt%), divide your mg/g value by 10.

Values are not adjusted for moisture content

\*Yeast and Mold Count uses method FE-37

Mal Hyman

Mackenzie Hyman, Lab Manager



matchin

Jonathan C. Markey, Quality Manager

Iron Laboratories, LLC is an ISO 17025:2005 Testing Laboratory laboratory, accredited by (PJLA) Perry Johnson Laboratory Accreditation, Certificate No. 77802

Tested by Iron Laboratories Michigan, 1825 E. West Maple Walled Lake, MI 48390

Page 1 of 1